

MAY FREELY DISTRIBUTE PRINTED HANDOUTS. FULL DETAILS AT http://Skymaps.com/terms.html

About the Celestial Objects

Listed on this page are several of the brighter, more interesting celestial objects visible in the evening sky this month (refer to the monthly sky map). The objects are grouped into three categories. Those that can be easily seen with the naked eye (that is, without optical aid), those easily seen with binoculars, and those requiring a telescope to be appreciated. Note, all of the objects (except single stars) will appear more impressive when viewed through a telescope or very large **binoculars.** They are grouped in this way to highlight objects that can be seen using the optical equipment that may be available to the star gazer.

Tips for Observing the Night Sky

When observing the night sky, and in particular deep-sky objects such as star clusters, nebulae, and galaxies, it's always best to observe from a dark location. Avoid direct light from street lights and other sources. If possible observe from a dark location away from the light pollution that surrounds many of today's large cities.

You will see more stars after your eves adapt to the darkness—usually about 10 to 20 minutes after you go outside. Also, if you need to use a torch to view the sky map, cover the light bulb with red cellophane. This will preserve your dark vision.

Finally, even though the Moon is one of the most stunning objects to view through a telescope, its light is so bright that it brightens the sky and makes many of the fainter objects very difficult to see. So try to observe the evening sky on moonless nights around either New Moon or Last Quarter.

Astronomical Glossary

Conjunction – An alignment of two celestial bodies such that they present the least angular separation as viewed from Earth.

Constellation – A defined area of the sky containing a star pattern.

Diffuse Nebula – A cloud of gas illuminated by nearby stars.

Double Star – Two stars that appear close to each other in the sky; either linked by gravity so that they orbit each other (binary star) or lying at different distances from Earth (optical double). Apparent separation of stars is given in seconds of arc (").

Ecliptic – The path of the Sun's center on the celestial sphere as seen from Earth.

Elongation – The angular separation of two celestial bodies. For Mercury and Venus the greatest elongation occurs when they are at their most angular distance from the Sun as viewed from Earth.

Galaxy – A mass of up to several billion stars held together by gravity.

Globular Star Cluster – A ball-shaped group of several thousand old stars.

Light Year (ly) - The distance a beam of light travels at 300,000 km/sec in one year.

Magnitude – The brightness of a celestial object as it appears in the sky.

Open Star Cluster – A group of tens or hundreds of relatively young stars.

Opposition – When a celestial body is opposite the Sun in the sky.

Planetary Nebula – The remnants of a shell of gas blown off by a star.

Universal Time (UT) – A time system used by astronomers. Also known as Greenwich Mean Time. USA Eastern Standard Time (for example, New York) is 5 hours behind UT. Variable Star - A star that changes brightness over a period of time.

2020 Easily Seen with the Naked Eve

NORTHERN HEMISPHERE

Ŷ

ma

M27

<₿

~

☆

- Altair Aal • Brightest star in Aguila. Name means "the flying eagle". Dist=16.7 ly. Capella The 6th brightest star. Appears yellowish in color. Spectroscopic binary. Dist=42 ly. Aur • **SEPTEMBER** Arcturus Boo . Orange, giant K star. Name means "bear watcher". Dist=36.7 ly. δ Cephei Cepheid prototype. Mag varies between 3.5 & 4.4 over 5.366 days. Mag 6 companion. Cep ۲ Deneb Brightest star in Cygnus. One of the greatest known supergiants. Dist=1,400±200 ly. Cyq • α Herculis Her ۲ Semi-regular variable. Magnitude varies between 3.1 & 3.9 over 90 days. Mag 5.4 companion. The 5th brightest star in the sky. A blue-white star. Dist=25.0 ly. Vega Lyr • Alaol Per ۲ Famous eclipsing binary star. Magnitude varies between 2.1 & 3.4 over 2.867 days. Brightest star in Piscis Austrinus. In Arabic the "fish's mouth". Dist=25 ly. Fomalhaut PsA ٠ Antares Sco Red, supergiant star. Name means "rival of Mars". Dist=135.9 ly. ٠ Polaris UMi ۰ The North Pole Star. A telescope reveals an unrelated mag 8 companion star. Dist=433 lv. **Easily Seen with Binoculars** M31 And O The Andromeda Galaxy. Most distant object visible to naked eye. Dist=2.93 million ly. Resembles a fuzzy star in binoculars. M2 Aar Ð Bright Cepheid variable. Mag varies between 3.6 & 4.5 over 7.166 days. Dist=1,200 ly. η Aquilae Aql ۲ М3 CVn Easy to find in binoculars. Might be glimpsed with the naked eye. \oplus Herschel's Garnet Star. One of the reddest stars. Mag 3.4 to 5.1 over 730 days. μ Cephei Cep ۲ χ Cygni Long period pulsating red giant. Magnitude varies between 3.3 & 14.2 over 407 days. Cva ۲ M39 Cyq May be visible to the naked eye under good conditions. Dist=900 ly. v Draconis Dra • Wide pair of white stars. One of the finest binocular pairs in the sky. Dist=100 ly. M13 Her ⊕ Best globular in northern skies. Discovered by Halley in 1714. Dist=23,000 ly. Fainter and smaller than M13. Use a telescope to resolve its stars. M92 Her ⊕ ε Lyrae Lvr Famous Double Double. Binoculars show a double star. High power reveals each a double. • R Lyrae Semi-regular variable. Magnitude varies between 3.9 & 5.0 over 46.0 days. Lyr ۲ M10 Oph \oplus 3 degrees from the fainter M12. Both may be glimpsed in binoculars. Dist=14,000 ly. IC 4665 Large, scattered open cluster. Visible with binoculars. 0ph 6633 0ph Scattered open cluster. Visible with binoculars. M15 Pea Only globular known to contain a planetary nebula (Mag 14, d=1"). Dist=30,000 ly. Ð Double Cluster Per Double Cluster in Perseus. NGC 869 & 884. Excellent in binoculars. Dist=7,300 ly. Μ8 Sqr Lagoon Nebula. Bright nebula bisected by a dark lane. Dist=5,200 ly. M25 Bright cluster located about 6 deg N of "teapot's" lid. Dist=1,900 ly. Sqr M22 Sqr ⊕ A spectacular globular star cluster. Telescope will show stars. Dist=10,000 ly. Μ6 Sco Butterfly Cluster. 30+ stars in 7x binoculars. Dist=1,960 ly. Μ7 Superb open cluster. Visible to the naked eye. Age=260 million years. Dist=780 ly. Sco Mizar & Alcor UMa • Good evesight or binoculars reveals 2 stars. Not a binary. Mizar has a mag 4 companion. Cr 399 Vul Coathanger asterism or "Brocchi's Cluster". Not a true star cluster. Dist=218 to 1,140 ly. **Telescopic Objects** γ Andromedae And Attractive double star. Bright orange star with mag 5 blue companion. Sep=9.8". ۰ 7009 Saturn Nebula. Requires 8-inch telescope to see Saturn-like appendages. Aar ÷ 7293 ♦ Helix Nebula. Spans nearly 1/4 deq. Requires dark sky. Dist=300 ly. Aqr Impressive looking double blue-white star. Visible in a small telescope. Sep=7.8". γ Arietis Ari • Red giant star (mag 2.5) with a blue-green mag 4.9 companion. Sep=2.8". Difficult to split. ε Boötis Boo ۰ M51 CVn 0 Whirlpool Galaxy. First recognised to have spiral structure. Dist=25 million ly. Solution Yellow star mag 3.4 & orange star mag 7.5. Dist=19 ly. Orbit=480 years. Sep=12". η Cassiopeiae Cas ۰ Albireo Cyq Beautiful double star. Contrasting colours of orange and blue-green. Sep=34.4". ۰ 61 Cyqni Cyq • Attractive double star. Mags 5.2 & 6.1 orange dwarfs. Dist=11.4 ly. Sep=28.4". γ Delphini Del • Appear yellow & white. Mags 4.3 & 5.2. Dist=100 ly. Struve 2725 double in same field. β Lyrae Lvr ۲ Eclipsing binary. Mag varies between 3.3 & 4.3 over 12.940 days. Fainter mag 7.2 blue star. M57 Lyr Ring Nebula. Magnificent object. Smoke-ring shape. Dist=4,100 ly. ÷ M20 Trifid Nebula. A telescope shows 3 dust lanes trisecting nebula. Dist=5,200 ly. Sgr M17 Sqr Omega Nebula. Contains the star cluster NGC 6618. Dist=4,900 ly. M11 Sct Wild Duck Cluster. Resembles a globular through binoculars. V-shaped. Dist=5,600 ly. M16 Eagle Nebula. Requires a telescope of large aperture. Dist=8,150 ly. Ser M33 Tri 0 Fine face-on spiral galaxy. Requires a large aperture telescope. Dist=2.3 million ly.
 - Vul Dumbbell Nebula. Large, twin-lobed shape. Most spectacular planetary. Dist=975 ly. ÷

The Evening Sky Map (ISSN 1839-7735) Copyright © 2000-2020 Kym Thalassoudis. All Rights Reserved.